

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/078,737	02/19/2002	Kenji Takao	1016-02 4935		
35811	7590 09/10/2004		EXAMINER		
IP DEPARTMENT OF PIPER RUDNICK LLP ONE LIBERTY PLACE, SUITE 4900			KALAFUT, STEPHEN J		
1650 MARKET ST		,	ART UNIT	PAPER NUMBER	
PHILADELPHIA, PA 19103		1745			
			DATE MAILED: 09/10/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

~

Sufformuffe Notice of Allowability

Application No.	Applicant(s)	
10/078,737	TAKAO ET AL.	
Examiner	Art Unit	
Stephen J. Kalafut	1745	

Houce of Allowability	Examiner	Art Unit	
	Stephen J. Kalafut	1745	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed course, THIS
1. A This communication is responsive to applicant's IDS of 6/1	<u>4/2004</u> .		
2. The allowed claim(s) is/are <u>1,3-11,13-31 and 33</u> .			
3. The drawings filed on are accepted by the Examiner	r.		
 Acknowledgment is made of a claim for foreign priority una)	been received. been received in Application No cuments have been received in this r	national stage applica	
5. A SUBSTITUTE OATH OR DECLARATION must be submi INFORMAL PATENT APPLICATION (PTO-152) which give	tted. Note the attached EXAMINER's reason(s) why the oath or declarat	S AMENDMENT or N ion is deficient.	OTICE OF
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftsperson 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the 	on's Patent Drawing Review (PTO-9 Amendment / Comment or in the O	ffice action of	back) of
 DEPOSIT OF and/or INFORMATION about the depose attached Examiner's comment regarding REQUIREMENT F 	sit of BIOLOGICAL MATERIAL m	iust be submitted. N	lote the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	5. ☐ Notice of Informal Pa6. ☐ Interview Summary (PTO-413),)-152)
 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 6/14/2004 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	Paper No./Mail Date 3), 7. ☐ Examiner's Amendm 8. ☒ Examiner's Statemer 9. ☐ Other	ent/Comment	wance

Application/Control Number: 10/078,737

Art Unit: 1745

The following is an examiner's statement of reasons for allowance: While EP 1,046,723 and JP 2000-239,806 are cited as "X" references of the European search report, neither reference is seen to disclose of teach the presently claimed subject matter, since they do not teach the present combination of values for average surface roughness (Ra) and maximum height (Ry), the present BA film on some of the projections between the grooves, or the present method of making a fuel cell separator, in which a hot-rolled steel sheet is annealed and pickled. Instead, EP 1,046,723 teaches a cooled and then cold-rolled sheet is annealed and pickled.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen J. Kalafut whose telephone number is 571-272-1286. The examiner can normally be reached on Mon-Fri 8:00 am-4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick J. Ryan can be reached on 571-272-1292. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/078,737

Art Unit: 1745

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

sjk

STEPHEN KALAFUT PRIMARY EXAMINER GROUP

TO Publish